

Excitech Australia Pty Ltd
ABN 38 665 472 123

Date:28-08-2025

30/10 Yato rd,
Prestons 2170

M: 0424 362 088

E: service@excitechaustralia.au

Attn: Test Excitech

RE: <'MODEL NUMBER'>

Thank you for your recent inquiry regarding Excitech Australia's <'MODEL NUMBER'>.

EXCITECH: LEADING THE WAY WITH CONTINUOUS INNOVATION AND EXCELLENCE

Since 2006, Excitech has become a leading name in machinery manufacturing. With facilities in Shandong and Guangdong, China, we are committed to delivering topquality products that meet the highest standards. This dedication has helped us achieve significant milestones and stay competitive in a fast-changing market.

We understand that choosing the right machinery is a significant investment. Therefore, we are committed to creating unending value for our customers and ensuring that they receive the best possible service.

Please find enclosed a formal proposal for the supply and installation of the <'MODEL number'>.

Should you require further information, please do not hesitate to contact me at **0424 362 088** or email me at jose@excitechaustralia.au.

Your faithfully,

Jose Ojeda
Managing Director



EF463S (EF463S)

Description

With room to grow, this mid-level edgebander allows an entry level business to upscale, yet an established business keep up to demand. Specifications of this model include spray release agent, pre-milling, gluing, end trimming, fine radius trimming, twin motor corner rounding, radius scraping, flat scraping and off cut, spray cleaning agent, buffing and hinge protection.

Specifications

Model EF463S

Workpiece length Min 150 mm

Workpiece width Min 80 mm

Workpiece thickness 10-60 mm

Edge thickness 0.4-3 mm

Edge width 12-65 mm

Feed speed 16-20 m/min

Net Weight 2205 kg

Input voltage 415 V

Input frequency 50 HZ

Output frequency 200 HZ

Total power 15.7 KW

Machine dimension 6280*850*1550 mm

Packing size 6380*1050*1720 mm



Custom Storage System (Custom Storage System)

Description

Storage systems are compact while providing quick, safe storage of board, reducing labour costs and managing your board inventory.



DUST COLLECTOR (NORDFAB)



EF463S (EF463S)

Description

With room to grow, this mid-level edgebander allows an entry level business to upscale, yet an established business keep up to demand. Specifications of this model include spray release agent, pre-milling, gluing, end trimming, fine radius trimming, twin motor corner rounding, radius scraping, flat scraping and off cut, spray cleaning agent, buffing and hinge protection.

Specifications

Model EF463S

Workpiece length Min 150 mm

Workpiece width Min 80 mm

Workpiece thickness 10-60 mm

Edge thickness 0.4-3 mm

Edge width 12-65 mm

Feed speed 16-20 m/min

Net Weight 2205 kg

Input voltage 415 V

Input frequency 50 HZ

Output frequency 200 HZ

Total power 15.7 KW

Machine dimension 6280*850*1550 mm

Packing size 6380*1050*1720 mm



DUST COLLECTOR (NORDFAB)

Item	Description	SKU	Quantity
EF463S	-	EF463S	1
Custom Storage System	storageTest1	Custom Storage System	1
DUST COLLECTOR	DustTest1	NORDFAB	1
tradeTest	-	-	2
TradeTest2	-	-	1
EF463S	-	EF463S	1
DUST COLLECTOR	dustTest2	NORDFAB	1
Subtotal			\$155,000.00
GST(10%)			\$15,500.00
Grand Total			\$170,500.00

EXCITECH®

CNC TECHNOLOGY

CONTRACT OF SALE

DELIVERY

Estimated delivery time is 6 weeks from date of order confirmation or in stock. The machine price is charged on truck, our works Prestons) / your works (Yenorra). Crane charges also, if required will be charged at cost.

PAYMENT TERMS

A 30% deposit is required to secure your order, with the balance due prior to delivery.

Bank details as per below:

Bank Name: ANZ

Account Name: Excitech Australia

BSB: 012430

Account: 330834315

INSTALLATION AND COMMISSIONING

Commissioning is included. If commissioning is included an Excitech Australia technician will install and setup the machine correctly. Crane hire, scissor lifts, ducting, tooling, services etc. are not included in price. Commissioning does not include electric, pneumatic or dust exhaust connections. Electrical leads and plugs are not supplied with the machine.

ADDITIONAL TRAINING

Additional training is not included.

PRODUCT WARRANTY

24 months warranty based on the new machine being operated up to eight hours per day. For use in excess of eight hours per day the term is reduced proportionally.

VALIDITY

This offer is valid for thirty days.

Customer / Company

Purchasers Signature

Sellers Signature

Test Excitech

